



CARBON PUNCHES

EXPANSION PUNCHES

EXPANSION RODS FOR UNWINDERS

ADAPTERS IN ALUMINIUM FOR PUNCHES

HANDLING TROLLEYS

**The synergy of companies with decades
of experience in the paper industry, from
machine design to reel construction,
has allowed to produce a whole
new line of products with the
carbon fiber innovative technology**

CARBON PUNCHES



Punzoni speciali dal desing costruttivo brevettato in modo da garantire partata doppia rispetto ai punzoni attualmente in commercio. Rispettano le normative sulle attrezzature di sollevamento e sono dotati di certificazione CE

ADVANTAGES

- Capacity from 12000 N to 25000 N
- Handling without lifting equipment
- Diameter range from 101mm (4") to 457mm (18")
- Use flexibility


TECHNICAL FEATURES

Diameter		Newton's Capacity Reach	Punch Weight
mm	inch		
76	3"	12000	kg 9
*102	4"	15000	kg. 12
152	6"	15000	kg. 13
152	6"	25000	kg. 14
*203	8"	25000	kg. 17

The models with the asterisk (*) are considered special



PUNCH ADAPTERS 150

DIMENSIONS FROM 254MM (10") TO 457MM (18")



Ø EXT. 10" 254 mm	-	Ø INT. 150mm	15 kg
Ø EXT. 10" 254 mm	-	Ø INT. 150mm	15 kg
Ø EXT. 10" 254 mm	-	Ø INT. 150mm	15 kg
Ø EXT. 10" 254 mm	-	Ø INT. 150mm	15 kg
Ø EXT. 10" 254 mm	-	Ø INT. 150mm	15 kg

EXPANSION PUNCHES



**PUNZONE A ESPANSIONE
FROM Ø 10" TO**

Ø 18"

Weight
Length 500 mm
Capacity 25000 N
Expansion 20 mm

from 75 kg to 145 kg
(all dimensions)
(all dimensions)

Elements in expan. N° 6 for 10"
Elements in expan. N° 8 for 12" and 14"
Elements in expan. N° 10 for 16" and 18"

Pneumatic circuits N° 1

EXPANSION RODS FOR UNWINDERS CONVERTING

SET AND EXPANSION UNWINDING RODS 3"

Actual dimension $\varnothing$ 74 - L 3500 mm

Weight kg 23

Capacity with reels central position

L 2850 - capacity kg 1800

L 2550 - capacity kg 1800


L2250 - capacity kg 1340

L1950 - capacity kg 900

L1650 - capacity kg 800



POLYMER COUNTER-CONES



HANDLING TROLLEYS

TROLLEY WITH FRONTAL SOCKET



Capacity: 200 kg

Height: 1500mm

Turning radio:
650mm

TROLLEY FOR LITTLE SPACE ENVIRONMENTS



Lateral
translation 650mm
Closing and
translation with
hydraulic actuators

SALES MANAGER
Riccardo Consani
SOLUZIONE PER L'INDUSTRIA

Via Romana 615/S Arancio 55100 Lucca
Tel.: +39 0583 496936 - 355 54909959
consaniriccardo@gmail.com
www.riccardoconsani.it